

Network Working Group  
Internet-Draft  
Updates: 5545,5546 (if approved)  
Intended status: Standards Track  
Expires: February 25, 2017

M. Douglass  
Spherical Cow Group  
August 24, 2016

Event Publishing Extensions to iCalendar  
draft-ietf-calext-eventpub-extensions-00

## Abstract

This specification introduces a number of new iCalendar properties which are of particular use for event publishers and in social networking.

This specification also defines a new STRUCTURED-DATA property for iCalendar (RFC 5545) to allow for data that is directly pertinent to an event or task to be included with the calendar data.

## Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <http://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on February 25, 2017.

## Copyright Notice

Copyright (c) 2016 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must

include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

## Table of Contents

1.	Introduction . . . . .	2
1.1.	Conventions Used in This Document . . . . .	4
2.	Typed References . . . . .	4
2.1.	Use Cases . . . . .	4
2.1.1.	Piano Concert Performance . . . . .	5
2.1.2.	Itineraries . . . . .	5
3.	Modifications to Calendar Components . . . . .	5
4.	New Property Parameters . . . . .	6
4.1.	Loctype . . . . .	6
4.2.	Assoctype . . . . .	7
4.3.	Restype . . . . .	7
4.4.	Order . . . . .	8
4.5.	Schema . . . . .	8
5.	New Properties . . . . .	9
5.1.	Associate . . . . .	9
5.2.	Styled-Description . . . . .	11
5.3.	Structured-Location . . . . .	13
5.4.	Structured-Resource . . . . .	14
5.5.	Structured-Data . . . . .	16
6.	Associate Types . . . . .	17
7.	Extended examples . . . . .	18
7.1.	Example 1 . . . . .	18
8.	Security Considerations . . . . .	19
9.	Privacy Considerations . . . . .	19
10.	IANA Considerations . . . . .	19
10.1.	Property Registrations . . . . .	20
10.2.	Parameter Registrations . . . . .	20
10.3.	Associate Type Registrations . . . . .	20
11.	Acknowledgements . . . . .	21
12.	Normative References . . . . .	21
Appendix A.	Open issues . . . . .	22
Appendix B.	Change log . . . . .	22
Author's Address	. . . . .	24

## 1. Introduction

The currently existing iCalendar standard [RFC5545] lacks useful methods for referencing additional, external information relating to calendar components.

This document defines a number of properties referencing such external information that can provide additional information about an

iCalendar component. The intent is to allow interchange of such information between applications or systems (e.g., between clients, between client and server, and between servers). Formats such as VCARD are likely to be most useful.

A new property is also defined to support HTML descriptions. Event publishers typically wish to provide more and better formatted information about the event.

Additionally this specification defines a property to allow the inclusion of structured data within the iCalendar object itself. The existing properties in iCalendar cover key elements of events and tasks such as start time, end time, location, summary, etc. However, different types of events often have other specific "fields" that it is useful to include in the calendar data. For example, an event representing an airline flight could include the airline, flight number, departure and arrival airport codes, check-in and gate-closing times etc. As another example, a sporting event might contain information about the type of sport, the home and away teams, the league the teams are in, information about nearby parking, etc.

Rather than define new iCalendar properties for the variety of event types that might occur, it would be better to leverage existing "schemas" for such data. For example, schemas available at <https://schema.org> include different event types. By using standard schemas, interoperability can be improved between calendar clients and non-calendar systems that wish to generate or process the data.

This specification defines a new "STRUCTURED-DATA" iCalendar property to allow for direct inclusion of ancillary data whose schema is defined elsewhere. This property includes parameters to clearly identify the type of the schema being used so that clients can quickly and easily spot what is relevant within the calendar data and present that to users or process it within the calendaring system.

iCalendar does support an "ATTACH" property which can be used to include documents or links to documents within the calendar data. However, that property does not allow data to be included as a "TEXT" value (a feature that "STRUCTURED-DATA" does allow), plus attachments are often treated as "opaque" data to be processed by some other system rather than the calendar client. Thus the existing "ATTACH" property is not sufficient to cover the specific needs of inclusion of schema data. Extending the "ATTACH" property to support a new value type would likely cause interoperability problems. Thus a new property to support inclusion of schema data is warranted.

## 1.1. Conventions Used in This Document

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119].

## 2. Typed References

The properties defined here can all reference external meta-data which may be used by applications to provide enhanced value to users. By providing type information as parameters, clients and servers are able to discover interesting references and make use of them, perhaps for indexing or the presentation of additional related information for the user.

These properties are designed to handle common use cases in event publication. It is generally important to provide information about the organizers of such org.bedework.util.jms.events. Sponsors wish to be referenced in a prominent manner. In social calendaring it is often important to identify the active associates in the event, for example a school sports team, and the inactive associates, for example the parents.

The [RFC5545] LOCATION property provides only an unstructured single text value for specifying the location where an event (or "TODO" item) will occur. This is inadequate for use cases where structured location information (e.g. address, region, country, postal code) is required or preferred, and limits widespread adoption of iCalendar in those settings.

Using STRUCTURED-LOCATION, information about a number of interesting locations can be communicated, for example, parking, restaurants and the venue. Servers and clients can retrieve the objects when storing the event and use them to index by geographic location.

When a calendar client receives a calendar component it can search the set of supplied properties looking for those of particular interest. The TYPE and FMTTYPE parameters, if supplied, can be used to help the selection.

### 2.1. Use Cases

The main motivation for these properties has been event publication but there are opportunities for use elsewhere. The following use cases will describe some possible scenarios.

### 2.1.1. Piano Concert Performance

In putting together a concert there are many associates: piano tuner, performer, stage hands etc. In addition there are sponsors and various contacts to be provided. There will also be a number of related locations. A number of events can be created, all of which relate to the performance in different ways.

There may be an iTip meeting request for the piano tuner who will arrive before the performance. Other members of staff may also receive meeting requests.

An event can also be created for publication which will have an ASSOCIATE reference to the pianist providing vcard information about the performer. This event would also hold information about parking, local subway stations and the venue itself. In addition, there will be sponsorship information for sponsors of the event and perhaps paid sponsorship properties essentially advertising local establishments.

### 2.1.2. Itineraries

These properties also provide opportunities for the travel industry. When booking a flight the ASSOCIATE property can be used to provide references to businesses at the airports and to car hire businesses at the destination.

The embedded location information can guide the traveller at the airport or to their final destination. The contact information can provide detailed information about the booking agent, the airlines and car hire companies and the hotel.

## 3. Modifications to Calendar Components

The following changes to the syntax defined in iCalendar [RFC5545] are made here. New elements are defined in subsequent sections.

```
eventprop =/ *(
    ;
    ; The following are OPTIONAL,
    ; and MAY occur more than once.
    ;
    styleddescription / strucloc / strucres / associate /
    sdataprop
    ;
    )
```

```
todoprop =/ *(
    ;
    ; The following are OPTIONAL,
    ; and MAY occur more than once.
    ;
    styleddescription / strucloc / strucres / associate /
    sdataprop
    ;
    )
```

```
jourprop =/ *(
    ;
    ; The following are OPTIONAL,
    ; and MAY occur more than once.
    ;
    styleddescription / associate /
    sdataprop
    ;
    )
```

#### 4. New Property Parameters

This specification makes use of the LABEL property parameter which is defined in [I-D.ietf-calext-extensions]

##### 4.1. Loctype

Parameter name: LOCTYPE

Purpose: To specify the type of location.

Format Definition:

This parameter is defined by the following notation:

```
loctypeparam = "LOCTYPE" "=" param-value
```

Description: This parameter MAY be specified on STRUCTURED-LOCATION and provides a way to differentiate multiple properties. For example, it allows event producers to provide location information for the venue and the parking.

Values for this parameter are taken from the values defined in [RFC4589]. New location types SHOULD be registered in the manner laid down in that specification

#### 4.2. Assoctype

Parameter name: ASSOCTYPE

Purpose: To specify the type of associate.

Format Definition:

This parameter is defined by the following notation:

```
assoctypeparam = "ASSOCTYPE" "=" param-value
```

Description: This parameter MAY be specified on the ASSOCIATE property, and defines the type of association. Allowable values are defined in Section 6.

#### 4.3. Restype

Parameter name: RESTYPE

Purpose: To specify the type of resource.

Format Definition:

This parameter is defined by the following notation:

```
restypeparam = "RESTYPE" "=" param-value
```

Description: This parameter MAY be specified on STRUCTURED-RESOURCE and provides a way to differentiate multiple properties.

Values for this parameter are taken from the values defined in [todo]. New resource types SHOULD be registered in the manner laid down in that specification

#### 4.4. Order

Parameter name: ORDER

Purpose: To define ordering for the associated property.

Format Definition:

This parameter is defined by the following notation:

```
orderparam = "ORDER" "=" integer ;Must be greater than or equal to 1
```

Description: The ORDER parameter is OPTIONAL and is used to indicate the relative ordering of the corresponding instance of a property. Its value MUST be an integer greater than or equal to 1 that quantifies the order. Lower values correspond to a higher level of ordering, with 1 being the highest.

When the parameter is absent, the default MUST be to interpret the property instance as being at the lowest level of ordering.

Note that the value of this parameter is to be interpreted only in relation to values assigned to other corresponding instances of the same property in the same entity. A given value, or the absence of a value, MUST NOT be interpreted on its own.

This parameter MAY be applied to any property that allows multiple instances.

#### 4.5. Schema

Parameter Name: SCHEMA

Purpose: To specify the schema used for the content of a "STRUCTURED-DATA" property value.

Format Definition:

This parameter is defined by the following notation:

```
schemaparam = "SCHEMA" "=" DQUOTE uri DQUOTE
```

Description: This property parameter SHOULD be specified on "STRUCTURED-DATA" properties. When present it provides identifying information about the nature of the content of the corresponding "STRUCTURED-DATA" property value. This can be used to supplement the media type information provided by the "FMTPROPERTY" parameter on the corresponding property.



Example:

```
STRUCTURED-DATA;FMTTYPE=application/ld+json;  
  SCHEMA="https://schema.org/FlightReservation";  
  ENCODING=BASE64;VALUE=BINARY:Zm9vYmFy
```

## 5. New Properties

### 5.1. Associate

Property name: ASSOCIATE

Purpose: This property provides a typed reference to external information about associates in an event or optionally a plain text typed value.

Value type: The default value type for this property is URI. The value type can also be set to TEXT to indicate plain text content.

Property Parameters: Non-standard, label, assoctype, order or format type parameters can be specified on this property.

Conformance: This property MAY be specified in any iCalendar component.

Description: When used in a component the value of this property points to information about an event associate. This is NOT an attendee in a scheduling sense and the ATTENDEE property may in fact be specified in addition. Associates in events can be individuals or organizations, for example a soccer team, the spectators, or the musicians.

Format Definition:

This property is defined by the following notation:

```

associate      = "ASSOCIATE" assocparam
                (
                  (
                    ";" "VALUE" "=" "URI"
                    ":" uri
                  ) /
                  (
                    ";" "VALUE" "=" "TEXT"
                    ":" text
                  )
                )
                CRLF

assocparam     = *(
                ;
                ; the following are OPTIONAL
                ; but MUST NOT occur more than once
                ;
                (";" fmttypeparam) /
                (";" labelparam) /
                (";" orderparam) /
                (";" assoctypeparam) /
                ;
                ; the following is OPTIONAL
                ; and MAY occur more than once
                ;
                (";" other-param)
                ;
                )

```

Note: When the ORDER parameter is supplied it defines the ordering of ASSOCIATE properties with the same value for the TYPE parameter.

Example:

The following is an example of this property. It points to a VCARD providing information on an event associate.

```

ASSOCIATE;ASSOCTYPE=PRINCIPAL_PERFORMER:
  http://dir.example.com/vcard/aviolinist.vcf

```

Example:

The following is an example referring to a VCARD providing information on the primary contact.

```
ASSOCIATE;FMTTYPE=text/vcard;
  ASSOCTYPE=PRIMARY-CONTACT;LABEL=A contact:
  http://dir.example.com/vcard/contacts/contact1.vcf
```

Example:

The following is an example of the property used to link to VCARD information on the event planner.

```
ASSOCIATE;FMTTYPE=text/vcard;
  ASSOCTYPE=PLANNER-CONTACT;LABEL=ClownsIsUs:
  http://dir.example.com/vcard/clowns-is-us.vcf
```

## 5.2. Styled-Description

Property name: STYLED-DESCRIPTION

Purpose: This property provides for one or more rich-text descriptions to replace or augment that provided by the DESCRIPTION property.

Value type: There is no default value type for this property. The value type can be set to URI or TEXT. Other text-based value types can be used when defined in the future. Clients MUST ignore any properties with value types they do not understand.

Property Parameters: IANA, non-standard, id, alternate text representation, and language property parameters can be specified on this property.

Conformance: The property can be specified multiple times in the "VEVENT", "VTODO", "VJOURNAL", or "VALARM" calendar components.

Description: This property is used in the "VEVENT" and "VTODO" to capture lengthy textual descriptions associated with the activity. This property is used in the "VJOURNAL" calendar component to capture one or more textual journal entries. This property is used in the "VALARM" calendar component to capture the display text for a DISPLAY category of alarm, and to capture the body text for an EMAIL category of alarm.

VALUE=TEXT is used to provide rich-text variants of the plain-text DESCRIPTION property.

VALUE=URI is used to provide a link to rich-text content which is expected to be displayed inline as part of the event.

The intent of this property is limited to providing a styled and/or language specific version of the DESCRIPTION property. The URL property should be used to link to websites or other related information.

Applications MAY attempt to guess the media type of the resource via inspection of its content if and only if the media type of the resource is not given by the "FMTTYPER" parameter. If the media type remains unknown, calendar applications SHOULD treat it as type "text/html".

Multiple STYLED-DESCRIPTION properties may be used to provide different formats or different language variants.

Format Definition:

This property is defined by the following notation:

```
styleddescription = "STYLED-DESCRIPTION" styleddescparam ":"
                  (
                    (
                      ";" "VALUE" "=" "URI"
                      ":" uri
                    ) /
                    (
                      ";" "VALUE" "=" "TEXT"
                      ":" text
                    )
                  )
                  CRLF
```

```
styleddescparam = *(
;
; The following are OPTIONAL,
; but MUST NOT occur more than once.
;
;" altrepparam) / (";" languageparam) /
;" fmttypeparam) /
;
; the following is OPTIONAL
; and MAY occur more than once
;
;" other-param)
```

**Example:**

The following is an example of this property. It points to an html description.

```
STYLED-DESCRIPTION;VALUE=URI:http://example.org/desc001.html
```

### 5.3. Structured-Location

**Property name:** STRUCTURED-LOCATION

**Purpose:** This property provides a typed reference to external information about the location of an event or optionally a plain text typed value.

**Value type:** There is no default value type for this property. The value type can be set to URI or TEXT. Other text-based value types

**Property Parameters:** IANA, non-standard, label, loctype or format type parameters can be specified on this property.

**Conformance:** This property MAY be specified zero or more times in any iCalendar component.

**Description:** When used in a component the value of this property provides information about the event venue or of related services such as parking, dining, stations etc..

When a LABEL parameter is supplied the language of the label must match that of the content and of the LANGUAGE parameter if present.

**Format Definition:**

This property is defined by the following notation:

```

strucloc      = "STRUCTURED-LOCATION" strucloccparam
              (
                (
                  ";" "VALUE" "=" "URI"
                  ":" uri
                ) /
                (
                  ";" "VALUE" "=" "TEXT"
                  ":" text
                )
              )
              CRLF

strucloccparam = *(
;
; the following are OPTIONAL
; but MUST NOT occur more than once
;
;" fmttypeparam) /
;" labelparam) /
;" languageparam) /
;" loctypeparam) /
;
; the following is OPTIONAL
; and MAY occur more than once
;
;" other-param)
)

```

Example:

The following is an example of this property. It points to a venue.

```

STRUCTURED-LOCATION;LABEL="The venue":
  http://dir.example.com/venues/big-hall.vcf

```

#### 5.4. Structured-Resource

Property name: STRUCTURED-RESOURCE

Purpose: This property provides a typed reference to external information about a resource or optionally a plain text typed value.

Value type: The default value type for this property is URI. The value type can also be set to TEXT to indicate plain text content.

Property Parameters: IANA, non-standard, label, restype or format type parameters can be specified on this property.

Conformance: This property MAY be specified zero or more times in any iCalendar component.

Description: When used in a component the value of this property provides information about resources used for the event.

When a LABEL parameter is supplied the language of the label must match that of the content and of the LANGUAGE parameter if present.

Format Definition:

This property is defined by the following notation:

```
strucres      = "STRUCTURED-RESOURCE" strucresparam (":" uri) /  
              (  
                ";" "VALUE" "=" "TEXT"  
                ":" text  
              )  
              CRLF
```

```
strucresparam = *(  
  ;  
  ; the following are OPTIONAL  
  ; but MUST NOT occur more than once  
  ;  
  (";" fmttypeparam) /  
  (";" labelparam) /  
  (";" languageparam) /  
  (";" restypeparam) /  
  ;  
  ; the following is OPTIONAL  
  ; and MAY occur more than once  
  ;  
  (";" other-param)  
)
```

Example:

The following is an example of this property. It refers to a projector.

```
STRUCTURED-RESOURCE;restype="projector":  
  http://dir.example.com/projectors/3d.vcf
```

## 5.5. Structured-Data

Property Name: STRUCTURED-DATA

Purpose: This property specifies ancillary data associated with the calendar component.

Value Type: TEXT

Property Parameters: IANA, non-standard, inline encoding, and value data type property parameters can be specified on this property. The format type and schema parameters can be specified on this property and are RECOMMENDED for text or inline binary encoded content information.

Conformance: This property can be specified multiple times in an iCalendar object. Typically it would be used in "VEVENT", "VTODO", or "VJOURNAL" calendar components.

Description: This property is used to specify ancillary data in some structured format either directly (inline) as a "TEXT" or "BINARY" value, or as a link via a "URI" value.

Format Definition:



This property is defined by the following notation:

```

sdataprop    = "STRUCTURED-DATA" sdataparam
              (":" text) /
              (
                ";" "ENCODING" "=" "BASE64"
                ";" "VALUE" "=" "BINARY"
                ":" binary
              ) /
              (
                ";" "VALUE" "=" "URI"
                ":" uri
              )
              CRLF

sdataparam   = *(
              ;
              ; The following is OPTIONAL for a URI value,
              ; RECOMMENDED for a TEXT or BINARY value,
              ; and MUST NOT occur more than once.
              ;
              (";" fmttypeparam) /
              (";" schemaparam) /
              ;
              ; The following is OPTIONAL,
              ; and MAY occur more than once.
              ;
              (";" other-param)
              ;
              )

```

Example: The following is an example of this property:

```

STRUCTURED-DATA;FMTTYPE=application/ld+json;
SCHEMA="https://schema.org/SportsEvent";
VALUE=TEXT:{\n
  "@context": "http://schema.org",\n
  "@type": "SportsEvent",\n
  "homeTeam": "Pittsburgh Pirates",\n
  "awayTeam": "San Francisco Giants"\n
}\n

```

## 6. Associate Types

This section describes types of association and provide registered values for the ASSOCIATE property ASSOCTYPE parameter.

**ACTIVE:** An associate taking an active role - for example a team member.

**INACTIVE:** An associate taking an inactive part - for example an audience member.

**SPONSOR:** A sponsor of the event. The ORDER parameter may be used with this associate type to define the relative order of multiple sponsors.

**CONTACT:** Contact information for the event. The ORDER parameter may be used with this associate type to define the relative order of multiple contacts.

**BOOKING-CONTACT:** Contact information for reservations or payment

**EMERGENCY-CONTACT:** Contact in case of emergency

**PUBLICITY-CONTACT:** Contact for publicity

**PLANNER-CONTACT:** Contact for the event planner or organizer

**PERFORMER:** A performer - for example the soloist or the accompanist. The ORDER parameter may be used with this associate type to define the relative order of multiple sponsors. For example, ORDER=1 could define the principal performer or soloist.

**SPEAKER:** Speaker at an event

## 7. Extended examples

The following are some examples of the use of the properties defined in this specification. They include additional properties defined in [I-D.ietf-calext-extensions] which includes IMAGE and LIVEFEED.

### 7.1. Example 1

The following is an example of a VEVENT describing a concert. It includes location information for the venue itself as well as references to parking and restaurants.

```
BEGIN:VEVENT
CREATED:20101116T145739Z
DESCRIPTION: Piano Sonata No 3\n
  Piano Sonata No 30
DTSTAMP:20101116T145739Z
DTSTART;TZID=America/New_York:20110315T150000Z
DTEND;TZID=America/New_York:20110315T163000Z
LAST-MODIFIED:20101116T145739Z
SUMMARY:Beethoven Piano Sonatas
UID:123456
STRUCTURED-LOCATION;LABEL="The venue":
  http://dir.example.com/venues/big-hall.vcf
STRUCTURED-LOCATION;LABEL="The venue":
  http://dir.example.com/venues/parking.vcf
ASSOCIATE;ASSOCTYPE=SPONSOR:http://example.com/sponsor.vcf
ASSOCIATE;ASSOCTYPE=PERFORMER:
  http://www.example.com/people/johndoe.vcf
END:VEVENT
```

## 8. Security Considerations

Applications using these properties need to be aware of the risks entailed in using the URIs provided as values. See [RFC3986] for a discussion of the security considerations relating to URIs.

Security considerations relating to the "ATTACH" property, as described in [RFC5545], are applicable to the "STRUCTURED-DATA" property.

## 9. Privacy Considerations

Properties with a "URI" value type can expose their users to privacy leaks as any network access of the URI data can be tracked. Clients SHOULD NOT automatically download data referenced by the URI without explicit instruction from users. This specification does not introduce any additional privacy concerns beyond those described in [RFC5545].

## 10. IANA Considerations

### 10.1. Property Registrations

This document defines the following new iCalendar properties to be added to the registry defined in Section 8.2.3 of [RFC5545]:

Property	Status	Reference
ASSOCIATE	Current	RFCXXXX, Section 5.1
STRUCTURED-DATA	Current	RFCXXXX, Section 5.5
STYLED-DESCRIPTION	Current	RFCXXXX, Section 5.2
STRUCTURED-LOCATION	Current	RFCXXXX, Section 5.3
STRUCTURED-RESOURCE	Current	RFCXXXX, Section 5.4

### 10.2. Parameter Registrations

This document defines the following new iCalendar property parameters to be added to the registry defined in Section 8.2.4 of [RFC5545]:

Property Parameter	Status	Reference
ASSOCTYPE	Current	RFCXXXX, Section 4.2
LOCTYPE	Current	RFCXXXX, Section 4.1
ORDER	Current	RFCXXXX, Section 4.4
RESTYPE	Current	RFCXXXX, Section 4.3
SCHEMA	Current	RFCXXXX, Section 4.5

### 10.3. Associate Type Registrations

The following table has been used to initialize the associate types registry.

Associate Type	Status	Reference
ACTIVE	Current	RFCXXXX, Section 6
INACTIVE	Current	RFCXXXX, Section 6
SPONSOR	Current	RFCXXXX, Section 6
CONTACT	Current	RFCXXXX, Section 6
BOOKING-CONTACT	Current	RFCXXXX, Section 6
EMERGENCY-CONTACT	Current	RFCXXXX, Section 6
PUBLICITY-CONTACT	Current	RFCXXXX, Section 6
PLANNER-CONTACT	Current	RFCXXXX, Section 6
PERFORMER	Current	RFCXXXX, Section 6
SPEAKER	Current	RFCXXXX, Section 6

## 11. Acknowledgements

The author would like to thank Chuck Norris of eventful.com for his work which led to the development of this RFC.

The author would also like to thank the members of the Calendaring and Scheduling Consortium Event Publication technical committee and the following individuals for contributing their ideas and support:

Cyrus Daboo, John Haug, Dan Mendell, Scott Otis,

The authors would also like to thank the Calendaring and Scheduling Consortium for advice with this specification.

## 12. Normative References

[I-D.ietf-calext-extensions]

Daboo, C., "New Properties for iCalendar", draft-ietf-calext-extensions-05 (work in progress), August 2016.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <<http://www.rfc-editor.org/info/rfc2119>>.

[RFC2434] Narten, T. and H. Alvestrand, "Guidelines for Writing an IANA Considerations Section in RFCs", RFC 2434, DOI 10.17487/RFC2434, October 1998, <<http://www.rfc-editor.org/info/rfc2434>>.

[RFC3688] Mealling, M., "The IETF XML Registry", BCP 81, RFC 3688, DOI 10.17487/RFC3688, January 2004, <<http://www.rfc-editor.org/info/rfc3688>>.

- [RFC3986] Berners-Lee, T., Fielding, R., and L. Masinter, "Uniform Resource Identifier (URI): Generic Syntax", STD 66, RFC 3986, DOI 10.17487/RFC3986, January 2005, <<http://www.rfc-editor.org/info/rfc3986>>.
- [RFC4589] Schulzrinne, H. and H. Tschofenig, "Location Types Registry", RFC 4589, DOI 10.17487/RFC4589, July 2006, <<http://www.rfc-editor.org/info/rfc4589>>.
- [RFC5545] Desruisseaux, B., Ed., "Internet Calendaring and Scheduling Core Object Specification (iCalendar)", RFC 5545, DOI 10.17487/RFC5545, September 2009, <<http://www.rfc-editor.org/info/rfc5545>>.
- [W3C.REC-xml-20060816] Bray, T., Paoli, J., Sperberg-McQueen, M., Maler, E., and F. Yergeau, "Extensible Markup Language (XML) 1.0 (Fourth Edition)", World Wide Web Consortium Recommendation REC-xml-20060816, August 2006, <<http://www.w3.org/TR/2006/REC-xml-20060816>>.

#### Appendix A. Open issues

restype values: Need to determine what if any registry of resource types already exists and use that.

#### Appendix B. Change log

v05 2016-06-26 MD

- o Fix up abnf
- o change ref to ietf from daboo
- o take out label spec - use Cyrus spec

v05 2016-06-14 MD

- o Remove GROUP and HASH. they can be dealt with elsewhere if desired
- o Change ORDER to integer >= 1.
- o Incorporate Structured-Data into this specification.

v04 2014-02-01 MD

- o Added updates attribute.

- o Minor typos.
- o Resubmitted mostly to refresh the draft.

v03 2013-03-06 MD

- o Replace PARTICIPANT with ASSOCIATE plus related changes.
- o Added section showing modifications to components.
- o Replace ID with GROUP and modify HASH.
- o Replace TITLE param with LABEL.
- o Fixed STYLED-DESCRIPTION in various ways, correct example.

v02 2012-11-02 MD

- o Collapse sections with description of properties and the use cases into a section with sub-sections.
- o New section to describe relating properties.
- o Remove idref and upgrade hash to have the reference
- o No default value types on properties..

v01 2012-10-18 MD Many changes.

- o SPONSOR and STRUCTURED-CONTACT are now in PARTICIPANT
- o Add a STRUCTURED-RESOURCE property
- o STYLED-DESCRIPTION to handle rich text
- o Much more...

2011-01-07

- o Remove MEDIA - it's going in the Cyrus RFC
- o Rename EXTENDED-... to STRUCTURED-...
- o Add TYPE parameter to SPONSOR

v00 2007-10-19 MD Initial version

Author's Address

Michael Douglass  
Spherical Cow Group  
226 3rd Street  
Troy, NY 12180  
USA

Email: [mdouglass@sphericalcowgroup.com](mailto:mdouglass@sphericalcowgroup.com)  
URI: <http://sphericalcowgroup.com>